

Specification	Model No: CV-9208AHD
Operating System	Embedded Linux
Video Compression	H.264
DVR Mode	Support, Max 8ch AHD@1080P/960P/720P;
Mixed Mode	Support, Max 8CH
NVR Mode	Max 8 CH IPCAM video real time input
IP video input	Max 8 CH 1080P, RJ45 interface
Protocol	ONVIF,N1
IPC Remote Setting	Time synchronization setting/ encoding setting color adjust/ Motion detection/ PTZ
Video input format	TVI 2.0 720P@25/30/50/60fps,1080P@25/30fps, AHD 720P@25/30fps,1080P@25/30fps, CVBS 960H@PAL/NTSC
Video encoding resolution	1080P-H(960x1080)/720P@16fps; 960H/D1@25fps
Video encoding rate	512 Kbps -- 4Mbps
UTC	Support 8ch
Audio input	Support 4ch
Audio encoding	G.711
HDMI output	1 CH HDMI Interface ; Max Resolution : 1920x1080/60Hz
VGA output	1 CH VGA Interface ; Max Resolution : 1920x1080/60Hz
Audio output	RCA Audio output *1, HDMI Audio output
Stream type	Audio and video flow mixing flow/video stream
Audio Compression	G.711
Recording	DVR mode : 8 CH 720P/Half-1080P Recording Mixed mode or NVR mode : 8 CH 1080P Recording
Playback	4 CH 720P/Half-1080P Playback, Mixed mode or NVR mode : 4 CH 720P/Half-1080P
Recording Mode	Manual, Schelude (Reguler/Continuous), MD,Alarm, Stop
Search Mode	Time/Date, Alarm, MD &Exact Search (accurate & Second), Smart Search
Trigger Events	Recording, PTZ,Tour,Alarm, Video Push,Email,Buzzer,
Device Control	Remote Control & Mouse
Soft Power-Off	Support
Storage Type	1 * SATA Interface
Storage Capacity	6TB In Max
Backup	USB Backup & Internet Backup
Network Interface	RJ45 10M / 100M Internet Interface
USB Interface	2 * USB2.0 Interface
Serial Interface	1 * RS485 Interface
Power	DC +12 V / 2A (4A@2*SATA)
Temperature	-10°C---- 55°C
Working humidity	10%--90%
Dimension	320*250*48
Weight Net	0.740KG
Weight Gross	1.340KG





