

Specification	Model No:CV-9232AHD
Operating System	Embedded Linux
Video Compression	H.264
DVR Mode	Support, Max 32ch AHD@1080P/960P/720P; TVI@1080P/960P/720P;analog video real time input
Mixed Mode	Support, Max 32ch, Arbitrary proportion analog
NVR Mode	Support, Max 32ch IPCAM video real time input(@Max150Mbps Bandwidth)
IP video input	Max 32 CH 1080P, RJ45 interface
Protocol	ONVIF,N1
IPC Remote Setting	Time synchronization setting/ encoding setting color adjust/ Motion detection/ PTZ
Video input format	TVI 2.0 720P@25/30/50/60fps,1080P@25/30fps,
Video encoding	1080P-H(960x1080)/720P@15fps; 960H/D1@25fps
Video encoding rate	512 Kbps -- 4Mbps
UTC	Support 8ch
Audio input	Support 8ch
Audio encoding	G.711
HDMI output	1 CH HDMI Interface ; Max
VGA output	1 CH VGA Interface ; Max
Audio output	RCA Audio output *1, HDMI Audio output
Stream type	Audio and video flow mixing flow/video stream
Audio Compression	G.711
Recording	DVR mode : 32 CH 720P/Half-1080P Recording Mixed mode or NVR mode : 32
Playback	DVR mode : 8 CH 720P/Half-1080P Playback
Recording Mode	Manual, Schelude (Reguler/Continuous), MD,Alarm, Stop
Search Mode	Time/Date, Alarm, MD &Exact Search (accurate & Second), Smart Search
Trigger Events	Recording, PTZ,Tour,Alarm, Video Push,Email,Buzzer, Snapshot On Email
Device Control	Remote Control & Mouse
Soft Power-Off	Support
Storage Type	2 * SATA Interface(Can be extended to 4*SATA)
Storage Capacity	6TB In Max
Backup	USB Backup & Internet Backup
Network Interface	RJ45 10M / 100M Internet Interface
USB Interface	2 * USB2.0 Interface
Serial Interface	1 * RS485 Interface
Power	DC +12 V / 4A (6A@4*SATA)
Power Consumption	<25W
Working humidity	10%--90%
Dimension	430*325*70
Weight Net	2.560KG
Weight Gross	3.960KG

