

Specification	Model No:CV-ED20AHD
<b>Image sensor</b>	2.0mp 1/3" CMOS Sensor
<b>Pixels</b>	2.0MP
<b>System</b>	PAL/NTSC
<b>Resolution</b>	1920*1080
<b>Shutter</b>	1/50(1/60) seconds to 1/10,000 seconds
<b>AGC</b>	AGC/ AGC + Slow Shutter
<b>S/N Ratio</b>	>58dB
<b>Video output</b>	1.0Vp-p,75Ω
<b>IR LED</b>	18 SMD LED
<b>IR Range</b>	20 Meters
<b>Minimum Illumination</b>	Color : 0. 1Lux@ (F1.2,AGC ON), 0 Lux with IR Black & White: 0.01Lux@ (F1.2, AGCN) 0 Lux with IR
<b>Photosensitive Resistance</b>	1 photosensitive resistance interface, support the photosensitive resistor input signal and image, IR- CUT, infrared lamp linkage
<b>Lens</b>	3.6mm
<b>D/N Switch</b>	Color /Auto
<b>D/N Switch time</b>	0~255
<b>Lens style</b>	Auto
<b>Video output</b>	BNC
<b>White Balance</b>	Auto
<b>DNR</b>	Auto
<b>OSD</b>	Optional
<b>Pic sharpness</b>	0-15
<b>Power</b>	DC12V±10% (AC24V optional)
<b>Power Consumption</b>	5.016 Watt (After IR LED Powered ON)
<b>Wattage</b>	5.0W
<b>Operating</b>	-10°C~ 60°C
<b>Operating Humidity</b>	is less than 90%
<b>Storage Temperature</b>	-400C~+600C
<b>Storage Humidity</b>	20~95%
<b>Housing Type</b>	Plastic
<b>Housing Dimension</b>	97mm(width) X 63mm(Hieght)
<b>Weight Net (Gram)</b>	0.140Kg
<b>Weight Gross (Gram)</b>	0.290Kg





